TED	(10)	-3040

(REVISION-2010)

Reg.	No.	
Sign	atura	

# THIRD SEMESTER DIPLOMA EXAMINATION IN ENGINEERING/ TECHNOLOGY—MARCH, 2013

#### MACHINE DRAWING

(Common to ME and AU)

[Time: 3 hours

## (Maximum marks: 100)

[Note: 1. All dimensions are in mm.

- 2. First angle projection method is to be followed.
- 3. Missing data if any may be suitably assumed.
- 4. Both sides of the drawing sheet may be used.
- 5. Sketches to be accompanied.]

Marks

#### Unit - I

I Draw any two locking arrangements of nuts. Take diameter of the bolt as 10 mm. 15

OR

II Draw two views of a single riveted double strap butt joint. Take thickness of plates as 9 mm. Dimension the drawing in terms of diameter of the rivet. Draw atleast 3 rivets in a row. Use snap head rivets.

15

### UNIT - II

- III Isometric view of a knuckle joint is shown in figure 1. Draw the following views :
  - (a) Elevation (Top half in section).

20

(b) Top view.

10

- Or
- IV Exploded isometric view of an unprotected type flange coupling is shown in figure 2. Arrange the coupling and draw the following views:
  - (a) Full sectional elevation.

20

(b) Left hand side view.

10

# Unit - III

- V Exploded view of a foot step bearing is shown in figure 3. Assemble the parts and draw following views:
  - (a) Full sectional front view.

25

(b) Top view.


15

OR

[113]

P.T.O.

Marks VI Isometric view of stuffing box is shown in figure 4. Draw the following views : (a) Full sectional elevation. 25 (b) Top view. 15 Unit - IV VII Draw the following elementary welding symbols: (a) Fillet (b) Square butt (c) Single V butt (d) Edge (e) Spot. OR VIII Layout of a piping system is shown in figure 5. Prepare a single line orthographic layout using symbols. (10 symbols) 15 SHORT NIPPLE GLOBE VALVE UNION-45° ELBOW ECCENTRIC REDUCER CQUPLING BUSHING-FLANGE LOCK NUT






Fig 2




Fig 4