TED(10)-1003	3 B	Reg No	
(REVISION-20	010)	Signature	
FIRST SEMESTER DIPLOMA EXAMINATION IN ENGINEERING			
	TECHNOLOGY-MARCH, 2011		
	APPLIED SCIENCE-1 (Chemistry)		
	(Common except DCP and CABM)		
	(Maximummarks:50)	[Time:1 ¹ / ₂ hours]	
	PART-A		
	(Maximum marks:4)	Marks	
(Answer the t	following questions in one or two sentences. Each question	carries 2 marks).	
I)			
(a) W	rite down the molecular formula of potassium dichromate a	and ferric sulphate?	
(b) De	efine degree of hardness of water?	(2x2)	
(0)	Answers		
(a)	$K_2Cr_2O_7$ = Potassium dichromate		
	$Fe_2(SO_4)_3$ = Ferric Sulphate		
(b) It is the number of parts by weight of CaCO ₃ present in One million (10 ⁶)parts by			
of wa	ter. Unit=PPM (Parts Per Million)		
PART-B			
	(Answer any full questions .in Each question carries 8 ma	arks).	
II)			
	ne equivalent mass of a monobasic acid is 63.Its salt with a vas an explosive and as a fertilizer. Enlist the acid and base a on . ?	-	
(b) Cla	assify the following as Lewis acid and Lewis base:		

III)

(a) What is acid-base indicator? What type of indicators are used in the following set of titrations:

(i) NaOH x HCl

- (iii) K₂CO₃ xH₂SO₄
- (ii) NaOH X acetic acid

1

(b) Relate the diameter range of nano particles and enumerate three other particles coming in the nano size range?

IV)

- (a) A plywood factory constantly uses deep borewell water directly for running the plant as well as boilers. One day the boiler plant met with an explosion and caused casualities due to superheated steam burns. Examination the reasons for the explosion and suggest a safe method for future?
- (b) Enumerate the disadvantages of hard water?

4

4

(2x8=16)

Answers

II)

a) Acid is HNO₃ & Base is K_2CO_3 Chemical equation is $2HNO_3 + K_2CO_3 \rightarrow 2KNO_3 + H_2O + CO_2$

(b)

Lewis acids	Lewis Bases
Ni ²⁺	NH ₃
Ag ⁺	H ₂ O
CO ²⁺	CN ⁻
BF ₃	Cl -

III)

- **a) Indicator:** Substance added to the conical flask to know the end point. It shows colour change in a particular P^H range. Eg: Methyl orange, Phenolphthalein, Methyl red etc.
 - (i) Phenolphthalein/Methyl orange
 - (ii) Phenolphthalein

(iii) Methyl orange

b) 1-100 nm range (nm=Nano meter,1nm=10⁻⁹m).Examples for nano sized materials are DNA width(2nm),Bucky ball(C60)(1nm),Carbon Nano tube(1.3nm),E-colie bacteria

IV)

a) The explosion is due to cracking of boiler scale. Scale formation is due to use of hard water. Safer method for future is either use of soft water **or** remove hardness of hard water.

b)

I) In laundry:

- i) **Wastage of soap:** because While washing with hard water, soap from lather only after removing all dissolved impurities, so cause wastage of soap.
- ii) It cause spot and streak on the cloth.

II)In steam boiler:

- i)Wastage of fuel:- Hard water cause a hard deposit on boiler called scale. It cause wastage of fuel
- **ii)Cause explosion of boiler**: Due to intense heat, the scale may crack and Cause explosion of boiler (because it is a heat insulating one.)
- iii) Cause corrosion of the boiler: Because of the formation of HCl as shown below.

$$MgCl_2 + H_2O \rightarrow Mg(OH)_2 + 2HCI$$

III) Not use for cooking, bathing

PART-C

(Answer one full question from each unit. Each carries 15 mark)

UNIT-I

V)

(a) 3.15 g of oxalic acid is dissolved in 100 ml water, calculate its normality and molarity?

(c) Applying the following equation compute the equivalent mass of NH₄OH. $NH_4OH + HCI \rightarrow NH_4CI + H_2O$ (d) Write down the balanced equation of combustion of methane in air. Calculate the mass of methane required to produce 55 g of CO₂ gas at STP by burning in air. 3 (e) Write down three chemical equations which involve reduction process? 3 OR VI) (a) Calculate the weight of zinc required to produce 2 gm of hydrogen gas at STP conditions from dil. Hydrochloric acid (At wt of Zn 65.5)? 3 (b) Silver nitrate solution is taken in a beaker and a copper metal rod is dipped in I it. The following reaction occurs: \rightarrow Cu²⁺⁽aq)+2Ag(s) $Cu(s) + 2Ag^{+}(aq)$ What type of reaction is this? What all changes you can observe during the reaction? 3 (c) What is a buffer solutions? Give one example each for acid buffer and basic buffer? (d) 40 ml of 0.5normal hydrochloric acid exactly combines with 0.42 g of a chemical substance. Calculate the equivalent mass of the compound? 3 (e) Give the electronic concept of oxidation and reduction . Give one example each for those reactions. 3 **Answers** W₂ x 1000 Egyt wt x Vol in ml 3.15 x1000 63 x 100 = <u>0.5 N</u> Molecular mass of oxalic acid=126

Equivalent weight=126/2=63

3

(b)Define pH and mention its three uses?

$$M = \frac{W_2 \times 1000}{M_2 \times \text{Vol in ml}}$$

=
$$0.25$$
 M M_2 = Molecular mass of oxalic acid=126

b) It is the negative logerithem of H⁺ ion concentration. Its value varies from 0 to 14

Ie,
$$pH = -log[H^+]$$

- * To find out the nature of the medium
- * Can calculate the [H⁺] ion
- * In textile industry: Acidity of water used for bleaching cotton is harmful. So they should control
- c) Here 1 mol NH $_4$ OH neutralized by 1 mol of HCl. So equivalent weight of NH $_4$ OH=

d)Balanced equation is $CH_4 + 2O_2 \rightarrow CO_2 + 2H_2O$

$$\therefore \text{ Mass of methane} = \underline{16 \times 55}$$

e)

1.
$$Cu^{2+} + 2e^{-} \rightarrow Cu$$

$$2. Zn^{2+} + 2e^{-} \rightarrow Zn$$

3.
$$Cl^{-}+1e \rightarrow Cl^{-}$$

a) Balanced equation is
$$Zn+2HCl \rightarrow ZnCl_2 + H_2$$

?

... Weight of
$$Zn = 65.5 \times 2$$

2

$$= 65.5 g$$

- **b)Redox Reaction:** Here solution changes to Blue color. Because Cu displaces Ag from its solution (or oxidation occure to Cu).
- c) Buffer solution: Solution which resist change in pH when small amount of acid or base added to it. Ex: CH₃COOH + CH₃COONa, NH₄OH + NH₄Cl

d)
$$N = W_2 \times 1000$$

Eqvt wt x Vol in ml

$$\therefore$$
 eqvt weight = $W_2 \times 1000$

N x Vol in ml

$$= 0.42 \times 1000$$

e)

Oxidation: Losing of electron is called oxidation. During oxidation, oxidation number increases ex: $Zn \rightarrow Zn^{2+} + 2e$

Reduction: Gaining of electron is called reduction. During reduction, oxidation number decreases Ex :Cu $^{2+}$ + 2e \rightarrow Cu

UNIT-II

VII)

(a) Mention three uses of nano particles in medicine?

- 3
- (b) Propose and comment on the structure of carbon nanotubes?

(c) Give reason of hardness of water and how we can remove temporary hardness.3 (d) Propose a suitable method for the purification of a water sample containing dissolved salts in small quantities? 3 (e) What is sterilization of water? Mention the different methods of sterilization of water? OR (a) Propose the chemical vapour deposition method of carbon nanotube synthesis.3 (b) Suggest the peculiar properties and applications of carbon nano particles in near future? 3 (c) Give two advantages of hard and soft water? (d) Write down the EDTA titration method of hardness estimation of water? 3 (e) Give the use of alum in flocculation process of water purification? (2x15=30)Answers a) 1. Act as molecular type test-tube and capsule for drug delivery 2. As a tips for analysis of DNA and proteins by a atomic force microscopy. 3. Can detect and locate tumors accurately. b) Its structure seemed to be formed by rolling the sheet of graphite in to the shape of cylindrical tube either closed or open at the end. Two varieties of CNT are SWNT (Single Walled Carbon Nano Tube. It is like a single cylinder) and MWNT (multi Wallled Carbon Nano Tube. It contains multiple concentric nano tube cylinder) Based on orientation of lattice, nano tubes are Classified in to three types 1) Arm Chair 2)Zig Zag 3)Chiral c) It is due to dissolved impurities like HCO₃-, Cl -, SO₄²- of Ca and Mg. Temporary

VIII)

VII)

hardness is due to HCO₃ of Ca and Mg. It can be removed by boiling.

$$M (HCO_3)_2 \rightarrow MCO_3 + H_2O + CO_2$$
 M= Ca and Mg

- **d) Boiling**: By boiling the dissolved salt settle down & and can be removed by filtration.
- **e)** Sterilization it is the destroying of disease causing bacteria and micro organism using fertilizers or disinfectant like bleaching powder etc. These are
 - **a)**Chlorination: By passing chlorine gas or chlorine water. Here Hypo chlorous acid produced killed the germs as shown below

Cl₂+H₂O→HOCl (Hypo chlorous acid)

 $HOCl \rightarrow HCl + [0]$

[0] + Germs \rightarrow Germs killed

 $\label{eq:closed} It \ need \ less \ space, \ Cl_2 \ available \ in \ pure \ form \ are \ advantages, \ but \ excess \ Cl_2 \ cause \ unpleasant \ smell, \ taste \ etc$

b)Using Bleaching Powder: Mix 1kg CaOCl_2 with 1000 kilo liter water. By oxidizing action of Cl, it kills the germs as shown below

 $CaOCl_2+H_2O\rightarrow Ca (OH)_2+Cl_2$

 $Cl_2+H_2O \rightarrow HOCl$ (Hypo chlorous acid)

HOCl→HCl+[0]

[0] + Germs \rightarrow Germs killed

c) By Passing Ozone(O_3): On passing O_3 through water, following reaction occure.

$$0_3 \rightarrow 0_2 + [0]$$

here nascent oxygen produces killed the germs as shown below by oxidizing action

$$[0] + Germs \rightarrow Germs$$
 killed

Its excess is not harmful

d) By passing UV radiation: so it kills the germs. It is expensive and is adopted when chemical methods are not suitable

- a) Chemical Vapor Deposition Method(C V D): Here CH_4 heated in a chamber containing Fe as catalyst at high temperature. So that C-H bond breaks form 'C' atom. This C atom bind with other C atom form nanotube lattice.
- **b)**) It strengthen composite material. ii) Act as a molecular size test tube& capsules for drug delivary. iii) Can act as conductor & semiconductor based on their size. iv) As a tips for analysis of DNA &Proteins by Atomic force Microscopy.

c)

Soft water	Hard water
Give lather readily with	Does not give lather with soap
soap	Contains dissolved impurities like
Advantages:	HCO ₃ -,SO ₄ ² -of Ca and Mg
Used for cooking.	Advantages:
Bathing	Contains Ca ²⁺ and Mg ²⁺ ions
In boiler	required for health
In laundry purposes etc	Does not dissolve Pb from lead
	pipe

d) Not in syllabus

e)Alum is used to remove finely divided particle from water. While adding alum ,it is settle down & Can be removed by filtration .